

VSEVEN



Docking Stations

Maximize Space and Productivity with a Single Cable

Provide All the Connectivity you Need from a Single USB Connection




Benefits of Docking Stations


V7 Docking Stations provide connectivity to audio, video and multiple peripherals from a single cable. Compatible with a wide variety of laptops and peripherals, docking station provides power to run dual 4k displays and deliver data connectivity to the network and your peripherals.

- Connect to a variety of peripherals to your laptop, so that you can free up desk for a cleaner workspace.
- Increase productivity with multiple displays, extra USB devices, Ethernet, audio, and more
- Charges at the same time as providing extra connectivity
- Manufactured at ISO certified facilities with high standard procedures for material handling and inspection


Port Options



HDMI



DisplayPort




DVI



VGA



USB 2.0/3.0
Devices



Gigabit
Ethernet



USB-C Power
Delivery

Which V7 Docking Station is for You? Pick Yours.


DisplayLink® Docking Stations

DisplayLink is a chipset inside DisplayLink enabled V7 Docking Stations that uses the processor (CPU) of the computer combined with a software driver that must be downloaded to the computer. The DisplayLink software sends compressed data over USB to the docking station or display adapter with a DisplayLink chip which then decodes and decompresses the video and renders it to the display(s).

DisplayLink enabled Docking Stations can support a wide variety of computers.

V7 Docking Station Models with DisplayLink chipsets include:

- UDDS
- UCDDS
- UCDDS1080P
- UDDS2
- DOCKUSBC




Alt Mode Docking Stations & Video Adapters (Pass Through Docking Stations)

Alt Mode video is a newer standard allowing transmission of video signals over a USB cable. It allows the graphics adapter (GPU) in a computer to directly output through the USB-C port.

The confusion over USB-C DisplayPort arises because not all USB-C ports feature DisplayPort Alt Mode functionality. For an Alternate Mode device like V7 adapters and docking stations to work correctly with your display device, the hardware and the software on the computer must support Alt Mode. Make sure the USB-C adapter is connected to the USB-C port on your computer and that the specification of your computer supports Alt Mode in the resolution your display(s) can use.

V7 Docking Station Models with Alt Mode Display include:

- DOCKUCPT01
- All other V7 USB video adapters



DOCKUCPT01

USB-C Docking Station Alt-Mode and Pass through Power Delivery Charging



Features

- Easily connect your displays and peripherals to your laptop with one USB-C Cable
- Adds HDMI, DisplayPort, and VGA display connections, Secure Digital (SD) and Micro SD slots, Gigabit Ethernet, Audio, and extra USB ports simultaneously
- The USB-C cable can be routed through the bottom of the docking station for maximum flexibility
- USB-C PD pass through charging with fast role swap of your device up to 100 Watts (20V/5A) when you add a USB-PD Charger
- Rest your laptop on top of the docking station for ventilation and to save desktop space

V7 Model Number	DOCKUCPT01
US SKU	8NV757
EU SKU	CA66449


Optional Accessories

	65W USB-C PD GAN AC CHARGER	USB-C CABLE 1M BLACK 3.2 GEN2
V7 Model Number	ACUSBC65WGAN	V7UCC-1M-BLK-1E
US SKU	01GY19	3N1144
EU SKU	CE05312	J153327



UCDDS

Dual DisplayLink® 4K Universal Docking Station with USB-C Power Delivery




Features

- Connect your Notebook or PC to additional monitors and your favorite accessories via a single cable, Thunderbolt compatible USB-C or USB-A (cable included)
- 4x USB-A 3.0 ports for connecting all accessories and hardware. USB-A ports are USB 3.0 and backwards compatible with 2.0 devices and providing high-speed data transmission, up to 5 Gbps, USB ports also support quick charging for smartphones and tablets
- 2x USB-C 3.1 port for the connection of your devices with a uses USB-C, supporting high-speed transfer up to 5 Gbps
- Thunderbolt compatible Power Delivery Option for USB-C, up to 65W output to charge your laptop
- Network and Internet access with Gigabit Ethernet port, supporting 10/100/1000 Mbps speeds
- 3.5 mm audio input / output jacks for headphone and microphone connectivity
- Power-saving on / off switch allowing quick and easy reset of the docking station

V7 Model Number	UCDDS
US SKU	2QP011
EU SKU	J154147

DOCKUSBC

USB-C Triple DisplayLink® Docking Station




Features

- Connect your displays and devices to your computer with one USB cable
- Total of 6 USB ports (4 x USB A 3.2 Gen1, 2 x USB-C)
- Two in one cable included for connection from USB-C or USB A computer port
- HDMI and DVI Output (includes DVI to VGA Adapter)
- Gigabit Ethernet and 3.5mm audio & microphone ports

V7 Model Number	DOCKUSBC
US SKU	9VB337
EU SKU	CD52844

UDDS

Universal DisplayLink® Docking Station with USB 3.0



Features

- Never run out of USB ports
- 4 USB 2.0 ports – 480 Mbps transfer speed
- 2 USB 3.0 ports – 5 Gbps transfer speed, one is a dedicated USB 2.1 power delivery to charge any device
- Removable feet for vertical or horizontal placement
- 2.1 Audio Jack – connect your 3.5mm headset
- Gigabit Port – connect PC to ethernet connection

V7 Model Number	UDDS
US SKU	3U7621
EU SKU	J153324

UDDS2

USB Dual DisplayLink® Docking Station




Features

- Connect your displays and devices to your computer with one USB cable
- Total of 6 USB Ports (2 x USB A 3.2 Gen 1, 4 x USB A 2.0)
- USB Cable and adapter included for connection from USB-C or USB A computer port
- HDMI and DVI Output (includes DVI to VGA Adapter)
- Gigabit Ethernet and 3.5mm audio & microphone ports

V7 Model Number	UDDS2
US SKU	9VB336
EU SKU	CD52843

UCDDS1080P

Universal USB-C Docking Station w/ Dual HDMI




Features

- Connect your computer to monitors and your favorite accessories and charge your computer at the same time via a single cable
- Two HDMI 1.4 ports supporting up to 1080p with 60Hz refresh rate
- 2 rear USB 3.1 ports for connecting and charging your USB accessories (5V/9A). The front USB port supports Battery Charge (BC 1.2) and Apple Charge 2.4A
- Gigabit Ethernet for connecting to the network and Combo 3.5 mm In/Out Audio for connecting to Audio
- Thunderbolt compatible Power Delivery Option for USB-C, up to 85W output to charge your mobile computer

V7 Model Number	UCDDS1080P
US SKU	7MV054
EU SKU	CA07163

UCMINIDOCKDUAL-PT

USB-C Mini Dock Dual 4K Display




Features

- Effortless connection - connect multiple devices to your USB-C computer
- Versatile - extend or mirror your HDMI displays for enhanced viewing and productivity. Supports SST and MST mode
- Transfer data and charge your USB-C device with power delivery up to 100W
- Gigabit ethernet connection provides up to 1Gbps transfer speed
- Manufactured in our ISO certified facilities and backed by the V7 warranty

V7 Model Number	UCMINIDOCKDUAL-PT
US SKU	9VB368
EU SKU	CD52877

UCMINIDOCK-PT

USB-C Mini Dock 4K Display



Features

- Effortless connection - connect multiple devices to your USB-C computer
- Sharp and clear - Extend or mirror to your 4K HDMI display
- Transfer data and charge your devices via USB-C with power delivery up to 100W
- Lightweight and compact, durable aluminum design for mobility and workstation optimization
- Gigabit ethernet connection provides up to 1Gbps transfer speed

V7 Model Number	UCMINIDOCK-PT
US SKU	9VB369
EU SKU	CD52893



Name	USB-C Docking Station Alt-Mode and Pass through Power Delivery Charging	Dual DisplayLink® 4K Universal Docking Station with USB-C Power Delivery	USB-C Triple Display Docking Station with DisplayLink®
V7 Model Number	DOCKUCPT01	UCDDS	DOCKUSBC
US SKU	8NV757	2QP011	9VB337
EU SKU	CA66449	J154147	CD52844
EAN / UPC	0662919111934	662919100822	0662919114935
Packaging Type	Full Color	Full Color	Full Color
Package Size	15.35 x 4.53 x 1.38 in (390 x 115 x 35 mm)	10.63 x 7.09 x 2.68 in (270 x 180 x 68 mm)	10.71 x 7.05 x 2.72 in (272 x 179 x 69 mm)
Package Weight	0.44 lbs (0.19784 kg)	3.53 lbs (1.6 kg)	3.42 lbs (1.55 kg)
Warranty	2 Years	2 Year	2 Year
Package Contents	Dock, USB-C Cable, User Manual, Warranty	Docking station, USB 3.0 to USB-C Cable, USB-C to USB-C Cable, Power Supply, Quick Start Guide	Docking Station, USB-C Cable, Power Supply, Quick Start Guide
Product Dimensions	13.76 x 2.91 x 0.71 in (349.5 x 74 x 18 mm)	8.86 x 3.35 x 0.98 in (225 x 85 x 25 mm)	8.78 x 3.15 x 1.02 in (223 x 80 x 26 mm)
Product Weight	0.55 lbs (0.2473 kg)	0.35 lbs (0.16 kg)	0.75 lbs (0.34 kg)
Color	Black	Black	Black
Connectors	Type-C Male, HDMI, VGA, USB-A 2x, RJ45, SD/Micro SD, USB-C Female	HDMI, Displayport, 4 x USB 3.0, 2x USB-C 3.1 (one Thunderbolt compatible with PD output up to 65W), RJ45 Connector, 3.5mm Audio (Combo In/Out)	HDMI 1.4 x 2, DVI x 1, USBA 3.2 Gen 1 x 4, USB-C x 3, RJ45 Ethernet, 3.5mm headset microphone combo
USB Display Type	Alt Mode	DisplayLink	DisplayLink
USB-C PD	100W	65W	65W
Video Resolution	Support HDMI max 4k/30Hz, VGA max 1920x1200/60Hz DP max 4K/30Hz	Single DP port: up to (5k)5120 x 2880@60HZ; Dual display: (4K)4096 x 2160p60HZ	HDMI Port1: 2K Display HDMI Port2: 4K Display DVI Port: 2K display"
Ethernet Speed	10/100/1000 Mbps	10/100/1000 Mbps	10/100/1000 Mbps
Audio	Combo Audio	2.1 Ch 3.5m (Separate In/Out)	3.5 mm TRS
Input Voltage	USB-C PD Charging 20V 5A DC	100-240V AC	100-240V AC
Output Voltage	DC 20V 5A	DC 20V 5A	20V/5.00A
Safety & Compliance	CE, FCC, ROHS, UKCA	CE, FCC, ROHS	CE, FCC, ROHS



Name	Universal DisplayLink® Docking Station with USB 3.0	USB Dual DisplayLink® Docking Station	USB-C PD Dual HDMI Full HD Docking Station
V7 Model Number	UDDS	UDDS2	UCDDS1080P
US SKU	3U7621	9VB336	7MV054
EU SKU	J153324	CD52843	CA07163
EAN / UPC	662919088564	0662919114928	0662919106954
Packaging Type	Full Color	Full Color	Full Color
Package Size	8.46x4.53x5 in (215 x 115 x 127 mm)	13.58x5.98x2.36 in (345 x 152 x 60 mm)	7.83 x 6.69 x 5 in (199 x 170 x 127 mm)
Package Weight	1.83 lbs (0.83 kg)	1.65 lbs (0.75 kg)	3.13 lbs (1.42 kg)
Warranty	2 Year	2 Year	2 Year
Package Contents	Docking station, 1x USB 3.0 Cable, 1x Power Supply, 1x Quick Installation Guide, 1x DVI - VGA Adaptor	Docking Station, USB Cable + USB-C Adapter, DVI to VGA Adapter, Power Supply, Quick Start Guide	Docking station, USB-C Cable, Power Cord, User manual
Product Dimensions	7.09 x 3.03 x 1.22 in (180 x 77 x 31 mm)	8.66 x 3.58 x 1.1 in (220 x 91 x 28 mm)	3.74 x 3.74 x 1.34 in (95 x 95 x 34 mm)
Product Weight	0.49 lbs (0.22 kg)	0.62 lbs (0.28 kg)	0.4 lbs (0.18 kg)
Color	Dark Grey	Black	Black
Connectors	HDMI, DVI, 2 x USB 3.0, 4x USB 2.0, RJ45 Connector, 3.5mm Audio (Combo In/Out), includes a DVI to VGA Adapter	HDMI 1.4 x 1, DVI x 1, USB A 3.2 Gen1 x 2, USB A 2.0 x 4, Headphone output, Microphone input, RJ45 Ethernet	USB-C Female, 2 x HDMI 1.4, 3x USB 3.1 (one supports BC 1.2 & Apple Charge), RJ45 Connector, 3.5mm Audio (Combo In/Out)
USB Display Type	DisplayLink	DisplayLink	DisplayLink
USB-C PD	N/A	N/A	85W
Video Resolution	Dual Display: 2048x1152	HDMI port: 2K DVI Port: 2K	Single Display: 2560x1440@50Hz Dual Display: 1920x1080@60Hz
Ethernet Speed	10/100/1000 Mbps	10/100/1000 Mbps	10/100/1000 Mbps
Audio	2.1 Ch 3.5m (Separate In/Out)	3.5 mm TRS	2.1 Ch 3.5m Combo (In/Out)
Input Voltage	100-240V AC	100-240V AC	100-240V AC
Output Voltage	DC 5V 4A	12V/2.00A	20V 5A AC
Safety & Compliance	CE, FCC, ROHS	CE, FCC, ROHS	CE, FCC, ROHS



Name	USB-C Mini Dock Dual 4K Display	USB-C Mini Dock 4K Display
V7 Model Number	UCMINIDOCKDUAL-PT	UCMINIDOCK-PT
US SKU	9VB368	9VB369
EU SKU	CD52877	CD52893
EAN / UPC	0662919114942	0662919114959
Warranty	2 years	2 years
Compliance	CE, FCC, RoHS	CE, FCC, RoHS
Country Of Origin	Vietnam	Vietnam
Package Contents	Docking station, 1x USB 3.0 Cable, 1x Power Supply, 1x Quick Installation Guide, 1x DVI - VGA Adaptor	Docking Station, USB Cable + USB-C Adapter, DVI to VGA Adapter, Power Supply, Quick Start Guide
Product Dimensions	160 x 210 x 16.3 mm (6.3 x 8.27 x 0.64 in)	160 x 210 x 16.3 mm (6.3 x 8.27 x 0.64 in)
Shipping Weight	0.206 kg (0.45 lbs)	0.0798 kg (0.18 lbs)
Product Dim (L/W/H)	130 x 55 x 16.2 mm (5.12 x 2.17 x 0.64 in)	134.3 x 22.9 x 16.8 mm (5.29 x 0.9 x 0.66 in)
Product Weight	0.1027 kg (0.23 lbs)	0.072 kg (0.16 lbs)
Maximum Resolution	3840 X 2160	3840 X 2160
Standard	USB 3.2 Gen 1	HDMI 2.0, USB 3.2 Gen 1
Connectors	HDMI, RJ45, USB, USB C	HDMI, RJ45, USB, USB C
Load Capacity (Watts)	100W	100W PD Charging 85W PD for PC Charging
Connector 1	USB-C	USB-C
Connector 2	HDMI, USB A 3.2 Gen1, RJ45, USB-C, SD/MicroSD	HDMI, USB-C, USB A 3.2Gen1, RJ45
Data Transfer Rate	5 Gbps USB Ports, 1 Gbps Ethernet Port	5 Gbps USB Ports, 1 Gbps Ethernet Port



 SEVEN

www.V7world.com

Need more information? Email us at V7-sales@ingrammicro.com

V7 - Ingram Micro Products. All rights reserved. All products and features are subject to change. DisplayLink® is the registered trademark of DisplayLink Corp. in the EU, the US, and other countries. All Images are for illustrative purpose only.