

Certificate Of Analysis

1960 Cherry st
Louisville, Colorado 80027

Certificate ID 165420
Report Date 10-26-2021
Customer PO
Receipt Date 10-20-2021
Test Completion Date 10-26-2021

Analytical Testing Results

Customer Lot BSHO2102/1
Description Broad Spectrum Hemp

Lab Sample ID 639781
Serving Size 2 Milligrams

Method ^ AOAC 993.14/GL-500

Analysis
Lead (Pb)
Cadmium (Cd)
Arsenic (As)

Test Type ICP-MS

Specification	Result	U/M
Report	<0.009	ppm
Report	<0.008	ppm
Report	<0.016	ppm

Method ^ EPA 7473/GL-585

Analysis
Mercury (Hg)

Test Type DMA

Specification	Result	U/M
Report	0.001	ppm

Method USP <62>/GL-480

Analysis
Pseudomonas aeruginosa

Test Type Pseudomonas aeruginosa

Specification	Result	U/M
Negative	Negative	U/M

Method ^ AOAC 2014.05/GL-451

Analysis
Yeasts and Molds

Test Type Yeasts and Molds

Specification	Result	U/M
Report	<10	cfu/g

Method ^ USP <2022>/GL-461

Analysis
Salmonella

Test Type Salmonella

Specification	Result	U/M
Negative	Negative	U/M

Method ^ USP <2022>/GL-441

Analysis
Staphylococcus aureus

Test Type Staphylococcus aureus

Specification	Result	U/M
Negative	Negative	U/M

Method ^ USP <2022>/GL-423

Analysis
E. coli

Test Type E. coli

Specification	Result	U/M
Negative	Negative	U/M

Method ^ AOAC 991.14/GL-420

Analysis
Coliforms

Test Type Coliforms

Specification	Result	U/M
Report	<10	cfu/g

Method ^ USP <2021>/GL-411

Analysis
Aerobic Plate Count

Test Type Aerobic Plate Count

Specification	Result	U/M
Report	<10	cfu/g



1945 S. Fremont Drive
Salt Lake City, Utah 84104
Phone: 801.973.8824
www.dyadlabs.com

Laboratory Comments:

Certificate ID#: 165420

Reviewed By: Peter Shelton

Approved By: _____

Edgar Grigorian, VP of Technical Affairs
On Behalf of Dyad Labs

Laboratory Notes:

Samples were received in acceptable condition unless otherwise noted in the laboratory comments section. This report may not be distributed or reproduced except in full, without written permission from Dyad Labs. Client shall not at any time misrepresent or alter the contents of this report. Any violation of these conditions voids this report. Dyad Labs assumes no responsibility, and client hereby waives all claims against Dyad Labs, for interpretation of such results. The results apply only to the sample(s) provided by the client. All work is done in accordance with Dyad Labs Terms and Conditions of Sale. Full text available on www.dyadlabs.com/Terms

Result Symbol Definitions:

^ = ISO 17025 certified method

* = Analysis performed at a subcontract location